




City of North Miami Beach, Florida

BUILDING DEPARTMENT



City of North Miami Beach

PUBLIC SERVICES DEPARTMENT

DR. A.Piedra
CK.
SCALE: N.T.S.
DATA: 12/21/98

REVISED


ASPHALT DRIVEWAY DETAIL (NO EXISTING SIDEWALK IN BLOCK)

SHEET 1 of 2



City of North Miami Beach, Florida

BUILDING DEPARTMENT



City of North Miami Beach

PUBLIC SERVICES DEPARTMENT

DR A Piedra
CK.
SCALE: N.T.S.
DATA: 12/21/98

REVISED


ASPHALT DRIVEWAY DETAIL (EXISTING SIDEWALK IN BLOCK)

SHEET 2 of 2



City of North Miami Beach, Florida

BUILDING DEPARTMENT



City of North Miami Beach PUBLIC SERVICES DEPARTMENT

DR. A.Piedra
CK.
SCALE: N.T.S.
DATA: 12/21/98

REVISED


BRICK PAVER DRIVEWAY DETAIL (NO EXISTING SIDEWALK IN BLOCK)

SHEET 1 of 2



City of North Miami Beach, Florida

BUILDING DEPARTMENT



City of North Miami Beach

PUBLIC SERVICES DEPARTMENT

DR. A.Piedra
CK.
SCALE: N.T.S.
DATA: 12/21/98

REVISED



BRICK PAVER DRIVEWAY DETAIL (EXISTING SIDEWALK IN BLOCK)

SHEET 2 of 2



City of North Miami Beach, Florida

BUILDING DEPARTMENT



NOTES:

- 1) IF SLOPE IS NOT ENOUGH TO PREVENT STORMWATER RUNOFF FROM DRAINING TO PUBLIC R/W, A TRENCH (ACO DRAIN OR SIMILAR) ALONG EDGE OF DRIVEWAY CONNECTED TO ON-SITE UNDERGROUND FRENCH DRAIN WILL BE REQUIRED. CHECK WITH PUBLIC WORKS DEPT. FOR DETAILS.
- 2) COMPLETE CONCRETE SPECIFICATIONS AVAILABLE UPON REQUEST. CONCRETE TO BE MIN. 3000 PSI (PLANT-MIX). FINISH FOR DRIVEWAY SHALL BE BROOM-FINISH.



City of North Miami Beach

PUBLIC SERVICES DEPARTMENT

DR. A.Piedra
CK.
SCALE: N.T.S.
DATA: 12/21/98

REVISED


CONCRETE DRIVEWAY DETAIL (EXISTING SIDEWALK IN BLOCK)

SHEET 2 of 2



City of North Miami Beach, Florida

BUILDING DEPARTMENT



City of North Miami Beach

PUBLIC SERVICES DEPARTMENT

DR. A Piedra
CK
SCALE: N.T.S.
DATA: 12/21/98

REVISED

CONCRETE DRIVEWAY DETAIL (NO EXISTING SIDEWALK IN BLOCK)

SHEET 2 of 2